



FOOD EQUIPMENT

SERVING THE FOOD INDUSTRY SINCE 1951

STANDARD WORK TABLE AND ACCESSORIES



**LIMITED
WARRANTY**



Authorized Dealer

FOOD EQUIPMENT

STANDARD WORK TABLE



Worktables - Standard Series

- 18 Gauge 430 Stainless Steel
- Support Channels secured via bolt and acorn style nut
- The Galvanized Under-shelf designed with welded V pipe leg supports
- Legs secured by single set-screw design
- Plastic Bullet Feet



					TECHNICAL SPECIFICATION
ITEM	DESCRIPTION (DxW)	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
24196	S.S. Table 18" x 24" / 457 x 610 mm, 4 legs	390 lbs./ 177 kg	34" / 863.6 mm	25 lbs / 11 kg	22" x 26" x 6" 559 x 660 x 152.4 mm
43182	S.S. Table 24" x 18" / 610 x 457 mm, 4 legs	390 lbs./ 177 kg	34" / 863.6 mm	31 lbs./	37" x 26" x 4" 940 x 660 x 101.6 mm
22063	S.S. Table 24" x 24" / 610 x 610 mm, 4 legs	700 lbs./ 318 kg	34" / 863.6 mm	45 lbs./ 20 kg	26" x 28" x 6" 660 x 711 x 152.4 mm
22064	S.S. Table 24" x 30" / 610 x 762 mm, 4 legs	800 lbs./ 363 kg	34" / 863.6 mm	51 lbs./ 23 kg	26" x 32" x 6" 660 x 813 x 152.4 mm
22065	S.S. Table 24" x 36" / 610 x 914 mm, 4 legs	900 lbs./ 408 kg	34" / 863.6 mm	56 lbs./ 25 kg	26" x 38" x 6" 660 x 965 x 152.4 mm
22066	S.S. Table 24" x 48" / 610 x 1219 mm, 4 legs	1000 lbs./ 455 kg	34" / 863.6 mm	70 lbs./ 31.8 kg	26" x 50" x 6" 660 x 1270
*22067	S.S. Table 24" x 60" / 610 x 1524 mm, 4 legs	1100 lbs./ 500 kg	34" / 863.6 mm	83 lbs./ 37.6 kg	26" x 62" x 6" 660 x 1575 x 152.4 mm
*22068	S.S. Table 24" x 72" / 610 x 1829 mm, 4 legs	1200 lbs./ 544 kg	34" / 863.6 mm	95 lbs./ 43 kg	26" x 74" x 6" 660 x 1880 x 152.4 mm
*22069	S.S. Table 24" x 84" / 610 x 2133.6 mm, 6 legs	1500 lbs./ 680 kg	34" / 863.6 mm	143 lbs./ 65 kg	26" x 98" x 6" 660 x 2489 x 152.4 mm
*22070	S.S. Table 24" x 96" / 610 x 2438 mm, 6 legs	1600 lbs./ 726 kg	34" / 863.6 mm	156 lbs./ 71 kg	26" x 98" x 6" 660 x 2489 x 152 mm
43183	S.S. Table 30" x 18" / 763 x 457 mm, 4 legs	385 lbs./ 174.6 kg	34" / 863.6 mm	33 lbs./	26" x 36" x 4" 660 x 614 x 101.6 mm
22071	S.S. Table 30" x 30" / 763 x 763 mm, 4 legs	800 lbs./ 363 kg	34" / 863.6 mm	67 lbs./ 30.4 kg	33" x 38" x 6" 838 x 965 x 152.4 mm
22072	S.S. Table 30" x 36" / 763 x 914 mm, 4 legs	900 lbs./ 408 kg	34" / 863.6 mm	77 lbs./ 35 kg	33" x 50" x 6" 838 x 1270 x 152.4 mm
22073	S.S. Table 30" x 48" / 763 x 1219 mm, 4 legs	1100 lbs./ 499 kg	34" / 863.6 mm	90 lbs./ 41 kg	33" x 63" x 6" 838 x 1600 x 152.4 mm
*22074	S.S. Table 30" x 60" / 763 x 1524 mm, 4 legs	1200 lbs./ 544 kg	34" / 863.6 mm	106 lbs./ 48 kg	33" x 75" x 6" 838 x 1905 x 152.4 mm
*22075	S.S. Table 30" x 72" / 763 x 1829 mm, 4 legs	1300 lbs./ 590 kg	34" / 863.6 mm	145 lbs./ 66 kg	33" x 98" x 6" 838 x 2489 x 152.4 mm
*22076	S.S. Table 30" x 84" / 763 x 2133.6 mm, 6 legs	1600 lbs./ 726 kg	34" / 863.6 mm	125 lbs./ 57 kg	33" x 86" x 6" 838 x 2184 x 152.4 mm
*22077	S.S. Table 30" x 96" / 763 x 2438 mm, 6 legs	1700 lbs./ 771 kg	35.75" / 908 mm	145 lbs./ 66 kg	33" x 98" x 6" 838 x 2489 x 152.4 mm



Welded Stainless Steel Tables available by request. Please call for more information.

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2015.E.O.E

FOOD EQUIPMENT

STANDARD WORK TABLE WITH BACKSPLASH



Worktables with backsplash - Standard Series

- 18 Gauge 430 Stainless Steel
- Support Channels secured via bolt and acorn style nut
- The Galvanized Under-shelf designed with welded V pipe leg supports
- Legs secured by single set-screw design
- Plastic Bullet Feet



TECHNICAL SPECIFICATION					
ITEM	DESCRIPTION	LOAD CAPACITY	HEIGHT	GROSS WEIGHT	GROSS DIMENSIONS
22078	S.S. Table 24" x 24" / 610 x 610 mm with 4"/101.6 mm backsplash, 4 legs	700 lbs./ 318 kg	38" / 965 mm	50 lbs./ 22.7 kg	26" x 30" x 10" / 660 x 763 x 254 mm
22079	S.S. Table 24" x 30" / 610 x 762 mm with 4"/101.6 mm backsplash, 4 legs	800 lbs./ 363 kg	38" / 965 mm	55 lbs./ 25 kg	26" x 36" x 10" / 660 x 914 x 254 mm
22080	S.S. Table 24" x 36" / 610 x 914 mm with 4"/101.6 mm backsplash, 4 legs	900 lbs./ 408 kg	38" / 965 mm	65 lbs./ 29.5 kg	26" x 40" x 10" / 660 x 1016 x 254 mm
22081	S.S. Table 24" x 48" / 610 x 1219 mm with 4"/101.6 mm backsplash, 4 legs	1000 lbs./ 455 kg	38" / 965 mm	75 lbs./ 34 kg	26" x 50" x 10" / 660 x 1270 x 254 mm
*22082	S.S. Table 24" x 60" / 610 x 1524 mm with 4"/101.6 mm backsplash, 4 legs	1100 lbs./ 500 kg	38" / 965 mm	90 lbs./ 41 kg	26" x 66" x 10" / 660 x 1676 x 254 mm
*22083	S.S. Table 24" x 72" / 610 x 1829 mm with 4"/101.6 mm backsplash, 4 legs	1200 lbs./ 544 kg	38" / 965 mm	100 lbs./ 45 kg	26" x 75" x 10" / 660 x 1905 x 254 mm
*22084	S.S. Table 24" x 84" / 610 x 2133.6 mm with 4"/101.6 mm backsplash, 6 legs	1500 lbs./ 680 kg	38" / 965 mm	155 lbs./ 70 kg	26" x 99" x 10" / 660 x 2515 x 254 mm
*22085	S.S. Table 24" x 96" / 610 x 2438 mm with 4"/101.6 mm backsplash, 6 legs	1600 lbs./ 726 kg	38" / 965 mm	160 lbs./ 72.6 kg	26" x 98" x 10" / 660 x 2489 x 254 mm
22086	S.S. Table 30" x 30" / 763 x 763 mm with 4"/101.6 mm backsplash, 4 legs	800 lbs./ 363 kg	38" / 965 mm	70 lbs./ 32 kg	33" x 39" x 10" / 838 x 991 x 254 mm
22087	S.S. Table 30" x 36" / 763 x 914 mm with 4"/101.6 mm backsplash, 4 legs	900 lbs./ 408 kg	38" / 965 mm	80 lbs./ 36 kg	33" x 50" x 10" / 838 x 1270 x 254 mm
22088	S.S. Table 30" x 48" / 763 x 1219 mm with 4"/101.6 mm backsplash, 4 legs	1100 lbs./ 499 kg	38" / 965 mm	100 lbs./ 45 kg	33" x 66" x 10" / 838 x 1676 x 254 mm
*22089	S.S. Table 30" x 60" / 763 x 1524 mm with 4"/101.6 mm backsplash, 4 legs	1200 lbs./ 544 kg	38" / 965 mm	115 lbs./ 52 kg	33" x 74" x 10" / 838 x 1880 x 254 mm
*22090	S.S. Table 30" x 72" / 763 x 1829 mm with 4"/101.6 mm backsplash, 4 legs	1300 lbs./ 590 kg	38" / 965 mm	158 lbs./ 72 kg	33" x 86" x 10" / 838 x 2184 x 254 mm
*22091	S.S. Table 30" x 84" / 763 x 2133.6 mm with 4"/101.6 mm backsplash, 6 legs	1600 lbs./ 726 kg	38" / 965 mm	160 lbs./ 73 kg	33" x 99" x 10" / 838 x 2515 x 254 mm
*22092	S.S. Table 30" x 96" / 763 x 2438 mm with 4"/101.6 mm backsplash, 6 legs	1700 lbs./ 771 kg	38" / 965 mm	160 lbs./ 73 kg	33" x 99" x 10" / 838 x 2515 x 254 mm



Welded Stainless Steel Tables available by request. Please call for more information.

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2015.E.O.E

FOOD EQUIPMENT

UNDERSHELF FOR STANDARD WORK TABLE



Under-shelf for standard worktable - Galvanized undershelf



TECHNICAL SPECIFICATION				
ITEM	DESCRIPTION	GROSS WEIGHT	GROSS DIMENSIONS	GROSS WEIGHT
22093	24" x 24"/ 610 x 610 mm Undershelf for 22063 and 22078	18 lbs./ 8 kg	20" x 18" x 4"/ 508 x 457 x 101.6 mm	450 lbs./ 204 kg
22094	24" x 30"/ 610 x 1600 mm Undershelf for 22064 and 22079	20 lbs./ 9 kg	20" x 26" x 4"/ 508 x 660.4 x 101.6 mm	450 lbs./ 204 kg
22095	24" x 36"/ 610 x 914 mm Undershelf for 22065 and 22080	24 lbs./ 11 kg	20" x 32" x 4"/ 508 x 813 x 101.6 mm	450 lbs./ 204 kg
22096	24" x 48"/ 610 x 1219 mm Undershelf for 22066 and 22081	35 lbs./ 16 kg	20" x 53" x 4"/ 508 x 1346 x 101.6 mm	500 lbs./ 227 kg
*22097	24" x 60"/ 610 x 1524 mm Undershelf for 22067 and 22082	39 lbs./ 18 kg	20" x 55" x 4"/ 508 x 1397 x 101.6 mm	500 lbs./ 227 kg
*22098	24" x 72"/ 610 x 1829 mm Undershelf for 22068 and 22083	46 lbs./ 21 kg	20" x 67" x 4"/ 508 x 1702 x 101.6 mm	500 lbs./ 227 kg
*22099	24" x 84"/ 610 x 2133.6 mm Undershelf for 22069 and 22084	54 lbs./ 24 kg	20" x 80" x 4"/ 508 x 2032 x 101.6 mm	700 lbs./ 318 kg
*22100	24" x 96"/ 610 x 2438 mm Undershelf for 22070 and 22085	62 lbs./ 28 kg	20" x 92" x 4"/ 508 x 2337 x 101.6 mm	700 lbs./ 318 kg
22101	30" x 30"/ 1600 x 1600 mm Undershelf for 22071 and 22086	25 lbs./ 11 kg	26" x 26" x 4"/ 660.4 x 660.4 x 101.6 mm	450 lbs./ 204 kg
22102	30" x 36"/ 1600 x 914 mm Undershelf for 22072 and 22087	30 lbs./ 13.6 kg	26" x 31" x 4"/ 660.4 x 787.4 x 101.6 mm	450 lbs./ 204 kg
22103	30" x 48"/ 1600 x 1219 mm Undershelf for 22073 and 22088	42 lbs./ 19 kg	26" x 44" x 4"/ 660.4 x 1118 x 101.6 mm	500 lbs./ 227 kg
*22104	30" x 60"/ 1600 x 1524 mm Undershelf for 22074 and 22089	44 lbs./ 20 kg	26" x 56" x 4"/ 660.4 x 1422.4 x 101.6 mm	500 lbs./ 227 kg
*22105	30" x 72"/ 1600 x 1829 mm Undershelf for 22075, 22090 and 22062	51 lbs./ 23 kg	26" x 68" x 4"/ 660.4 x 1727 x 101.6 mm	500 lbs./ 227 kg
*22106	30" x 84"/ 1600 x 2133.6 mm Undershelf for 22076 and 22091	59 lbs./ 27 kg	26" x 80" x 4"/ 660.4 x 2032 x 101.6 mm	700 lbs./ 318 kg
*22107	30" x 96"/ 1600 x 2438 mm Undershelf for 22077 and 22092	77 lbs./ 35 kg	26" x 92" x 4"/ 660.4 x 2337 x 101.6 mm	700 lbs./ 318 kg

Bullet feet

TECHNICAL SPECIFICATION	
ITEM	DESCRIPTION
39313	Stainless Steel Bullet Foot
23510	Plastic Bullet Foot
23520	Bullet Foot- Plastic Inside Stainless Steel Outside



23520



23510



39313

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2015.E.O.E