




SNEEZE GUARD

For Use with RollsRight Commercial Roller Grill

Operating Instruction Manual



Also available
EHD-30-SG
compatible with
EHD-30NS

EHD-50-SG
compatible with
EHD-50NS

BEFORE OPERATING ANY EQUIPMENT, READ AND FAMILIARIZE YOURSELF WITH THESE USE AND SAFETY INSTRUCTIONS

*Congratulations on your purchase of this SPECTRUM commercial cooking equipment accessory. SPECTRUM takes pride in the design and quality of our products. When used as intended and with proper care and maintenance, you will experience years of reliable operation from this equipment. To ensure best results, it is important that you read and follow the instructions in this manual carefully. **It's important to save these instructions for future reference.***

Table of Contents

Introduction	2
Packaging	2
Cleaning, Care & Maintenance	2
Installation	3
Exploded View	4
Spare Parts List.....	4

Introduction

Congratulations on the purchase of your SPECTRUM Sneeze Guard. This unit is designed to enhance the use of the SPECTRUM Roll Right Commercial Roller Grill. Please take time to carefully read through this manual to properly install and maintain this unit to ensure the best possible performance from the product for many years.

SPECTRUM will not accept liability for the following if:

- The instructions in this manual have not been followed correctly.
- Non-authorized personnel have tampered with the machine.
- Non-original spare parts are used.
- The unit has not been handled and cleaned correctly.
- There is any use damage to the unit.

Immediately Inspect for Shipping Damage

All containers should be examined for damage before and during unloading. The freight carrier has assumed responsibility for its safe transit and delivery. If equipment is received damaged, either apparent or concealed, a claim must be made with the delivering carrier.

- Apparent damage or loss must be noted on the freight bill at the time of delivery. It must then be signed by the carrier representative (Driver). If this is not done, the carrier may refuse the claim. The carrier can supply the necessary forms.
- If concealed damage or loss is not apparent until after equipment is uncrated, a request for inspection must be made to the carrier within 15 days. The carrier should arrange an inspection. Be certain to keep all contents and packaging material.

NOTE

Please remember that this manual and the warning labels do not replace the need to be alert, to properly train and supervise operators, and to use common sense when using this equipment.

Package Contents

All units come with Operating Instruction Manual and the following:

- 2 stainless steel main body assemblies
- 1 PC Cover
- 1 Hook plate
- 8 fixing screws

SPECTRUM prides itself on quality and service, ensuring that at the time of packing, all products are supplied fully functional and free of damage. Should you find any damage as a result of freight, please contact your SPECTRUM dealer immediately.

Unpacking the Equipment

DISPOSE OF ALL PACKAGING MATERIALS IN AN ENVIRONMENTALLY RESPONSIBLE MANNER.

1. Remove all packing materials and tape, as well as any protective plastic and cardboard, from the unit.
2. Clean any glue residue left over from the plastic or tape.

WARNING ⚠️ AVERTISSEMENT		
	Fire Hazard. Correct installation precautions, procedures and regulations must be followed. Operation and safety training is necessary for all users of this equipment.	Risque d'incendie La surchauffe des vapeurs d'huile ou de l'huile peut s'enflammer et provoquer un incendie. Surveillez la température, la qualité et le niveau d'huile. Utilisez et entretenez le système d'élimination des vapeurs d'huile.
	The equipment must be installed by qualified personnel only. Correct installation precautions, procedures and regulations must be followed in order to reduce the risk of fire. Hood and fire suppression systems must be maintained per manufacturer's guidelines. Only qualified and trained personnel are to use this equipment.	Faire chauffer l'huile avec précaution. Si l'huile fume, réduire le feu. Ne pas laisser l'appareil sans surveillance. Si le feu se produit, éteindre l'appareil, couvrir jusqu'à refroidissement. Ne pas mettre l'eau dans l'huile chaude ou enflammée. Ne faites pas fonctionner avec de l'huile sous la barre d'huile. L'huile sale a un point d'éclair plus bas. Remplacer l'huile sur une base régulière. Maintenir le niveau d'huile correct. Utiliser un système d'évacuation de la vapeur d'huile (capot) pour réduire l'accumulation de graisse et d'huile sur les surfaces de paroi ou de plafond.

Cleaning, Care & Maintenance

To maintain the appearance and increase the service life, clean your unit daily. The SPECTRUM Sneeze Guard should be cleaned after each day's operation; however, the unit may require more frequent cleaning depending on the volume of use.

1. NEVER use abrasive powders or pads; these cleaners may damage the stainless steel and PC cover finish.
2. Clean with a damp cloth using warm, soapy water. Prolonged use of cleaning agents may damage stainless steel and PC cover.


Installation

Remove the SPECTRUM Sneeze Guard from the packaging, ensuring that all protective packaging, plastic and residues are thoroughly cleaned from its surfaces.


Before installing and operating the Sneeze Guard, it is the user's responsibility to ensure that all health & safety regulations are met concerning safe positioning, spacing, ventilation, electrical installation and fire prevention.

Layout all components of the Sneeze Guard on the floor ready for assembly. You will need a screwdriver to assist in the assembly process.


1. Put the two Side Frame Assembly on the table.



2. Place Cover on the top of the Side Frame Assembly and fix 4 screws at each end of the frame.



3. Tighten all screws and ensure the SPECTRUM Sneeze Guard is evenly balanced.




4. Tighten all screws and ensure the Sneeze Guard is balanced.



Exploded View

MODEL EHD-30-SG AND EHD-50-SG



Spare Parts List

No.	Description	EHD-30-SG Part #	EHD-50-SG Part #	QTY
1	PC Cover	EHDS-P1-30	EHDS-P1-50	1
2	Screw	EHDS-P2	EHDS-P2	8
3	Hook Plate	EHDS-P3-30	EHDS-P3-50	1
4	Main Body Assembly	EHDS-P4	EHDS-P4	2

Please keep this manual in a safe place for future use!